

VISIT...

LANZAROTE  
*Caliente*.COM

# INDEX

- Activated charcoal 127, 128
- Adapter, Claisen 204
  - non-jointware 46
- Addition funnel, stem, glass
  - joint 148–150, 226, 227
- Air condenser 63
- Air leak, vacuum distillation 198
- Alcohol of crystallization 92
- Aldrich chemical catalog 39, 40
- Analytical balance 67–69
- Apparatus, Dean-Stark
  - trap 352, 353
  - non-jointware 58, 59
  - cold-finger condenser 237
  - sublimation 237
- Azeotrope, binary 352
- ternary 352
- Azeotropes 208
  - in synthesis 352
  - maximum-boiling 351
  - minimum-boiling 351
- Azeotropic distillation 350
  
- Back-extraction 153, 154
- Beilstein reference 28, 31, 40
- Boiling point, correction,
  - vacuum distillation 198–201
  - handbook 26, 39
- Boiling stones 166, 191, 202
- Breakage fee 45, 46
- Buchner funnel 59, 123
- Burner, bunsen 169, 170, 171
  
- Calculation, percent
  - yield 19, 20
  - heat of vaporization 338, 339
  - limiting reagent 17
  - product extraction 358–360
  - steam distillation,
    - yield 355
  - theoretical yield 17, 23, 24
- Centrifugation, Craig
  - tubes 140, 141
- Chemical shift in NMR 321
- Chromatography 240–263
  - adsorbent, paper 240
  - powder 240, 244, 258, 259
  - alumina 240
  - silica gel 240
  - self-supporting 240
  - eluants 241
  - eluotropic series 241
  - polarity 241
  - microscale, wet-column 262, 263
  - pre-prepared TLC plates 253
  - preparative TLC 256
  - thin-layer 244–255
  - adsorbent 244
  - development 247
  - identification of
    - unknowns 252
  - interpretation 250
  - microscope slide 245
  - multiple spotting 252
  - pre-prepared plates 253
  - preparation, dipping 244
  - spreading 244, 245
  - spotter 246
  - spotting 246
  - visualization 249, 250
  - destructive 249
  - iodine 249
  - non-destructive 249, 250
  - semi-destructive 249
  - ultra-violet 249, 250
  - wet-column 258–263
  - collection 261
  - eluants 258–261
  - loading samples 260
  - microscale 262, 263
  - preparation 258
  - visualization 261
- Claisen adapter 47, 204, 226, 228
- Clamp fastener 178
- Clamps 178–186
  - buret 178
  - extension, fastener 178
  - plain 178
  - three-fingered 178, 179
- Cleaning, Buchner
  - funnel 88
- Cleaning glassware 88, 89
- Column packing 47, 204–206
- Condenser 47, 48, 192, 223–225
  - cold-finger 236, 237
- Conical vial 64–67
  - heating 69
  - sample weighing 67–69
- Cork press 55, 56
- Corks 54–56
- Craig tubes, *see* Recrystallization, microscale
  
- Density, handbook 26, 29, 40
- Disaster, bumping 166
- distillation 192
  - vacuum 202
- drying a solid product 101
- drying agents 93
- drying glassware 88
- extraction 145
- filtering, by pipet 79, 80
- filthy Buchner funnel 88
- flasks, round bottom 47, 48, 170, 171
- FTIR 319, 320
- gas collection 72
- glass joints 51–54, 203
- gravity filtration 120
- heating mantle 173
- pipet, filtering 79
  - vapor pressure 77
- recrystallization 123
- syringes 84
- Teflon stopcock 149
- vial cap liner, aluminum
  - foil 97
  - waxed 97
- Disposable pipet, *see* Pipet
- Distillation 188–213
  - adapter, vacuum 192, 203
  - azeotropic 350
  - boiling stones 166, 191, 202
  - clamping 180–186

- disaster 192
- fore-run 202
- fractional, azeotropes 208
  - chaser solvent 207, 208
  - column holdup 207
  - notes 207
  - throughput 205
  - total reflux 205
  - total takeoff 207
- greasing glass joints 203
- heat source, burner 169–171
  - mantle 171–173
  - steam bath 168
- ice bath 193
- microscale 216–219
  - class 1 216
  - class 2 216, 217
  - class 3 217
  - class 4 217
- Hickman still 217–219
- notes 189
- quiz question 208
- receiving flask 193
- simple 189–194
- steam 208–213
  - external 209, 212
    - steam trap 210, 211
  - internal 212
  - notes 212
  - salting-out products 213
  - steam tap 209
- theoretical plates 348
- thermometer 192
- vacuum 195–203
  - corrections, pressure 198–201
  - temperature 198–201
- leaks 198
- magnetic stirrer 202
- manometer 196–198
  - hints 196
- measurement 196–198
- nomograph, pressure correction 198–201
  - temperature correction 198–201
- notes 202
- Distillation theory, *see* Theory of distillation
- Drying agent 92–94
  - calcium chloride 92, 223
    - alcohol of crystallization 92
  - calcium sulfate 92, 93
  - Drierite, blue 93, 223
    - white 92, 93, 223
  - magnesium sulfate 92
  - microscale 94
  - potassium carbonate 92
  - sodium carbonate 92
- Drying glassware 89
  - compressed air for 89
- Drying liquids, azeotropic distillation 352, 353
- Drying samples, liquid 92, 93
  - solid 96, 101
- Drying tube 49–51, 59, 223–225
  - microscale 70
- Electronic instrumentation 272
- Eluatropic series 241
- Eutectic mixture 100
- Extension clamps 178, 179
- Extraction 144–159
  - advice 146, 147
  - back-(from aqueous extract) 153, 154
  - compound recovery 152–156
  - disaster 145, 149
  - emulsion 159
  - finding the aqueous layer 147
  - funnel manipulation 156–158
  - hints 158, 159
  - microscale 162–164
    - bottom layer 162, 163
    - mixing 162
    - top layer 162, 163
  - organic mixtures 154–156
  - pH of a layer 147
  - quiz question 154
  - salt formation 152–154
  - salting-out 158, 159
  - separatory funnel 147–151
    - clogging 159
    - glass joint stem 148, 150
    - stopcock, Teflon 149, 150
    - glass 149, 150
    - stopper 148
    - straight stem 150, 151
  - solvents 145, 146
    - miscible 145, 146
    - three-layers 147
- Extraction theory, *see* Theory of extraction
- FTIR 318–322
  - advantages 319
  - disadvantages 319
  - disaster 319, 320
  - interferometer 318
  - optical system 318
- Filter flask 59
- Filtering, pipet 80, 81
- Fisher-Johns apparatus 106–108
- Flask, filter 59
  - suction 59
- Flask(s), jointware 46
  - round-bottom, disaster 47, 48, 170, 171
  - heating, by burner 170
  - by heating mantle 171, 172
    - on steam bath 169
  - star cracks 47
- sidearm 124
- suction 124
- three-neck 46
- Flask(s), three-neck 202–205, 212, 226, 229
- Fluted filter paper 132, 133
- Fore-run, during distillation 193
- Fourier transform infra-red, *see* FTIR
- Funnel(s), addition 226, 227
  - Buchner, recrystallization 59, 123
  - Hirsch 59
  - pressure equalizing 226, 227
  - separatory(sep) 147–151, 225–227
    - clogging 159
    - interface material 159
    - manipulation 156–158
    - stem, glass joint 148–150
      - straight 150, 151
    - stopcock, Teflon 149, 150
    - glass 149, 150
    - stopper 148
  - stem, glass joint 148, 149, 226
- Gas Chromatography 274–283
  - air peak 276, 279, 281

- analysis, bad  
     baseline 281  
     peak areas 281  
     retention times 281  
 attenuator 280  
 chart recorder 280  
 column destruction by  
     frying 278  
 column oven 282  
 column, adsorption 277  
     liquid-partition 277, 278  
 detector, thermal  
     conductivity 278  
 dew point 282  
 injection port 275  
 microliter syringe 276  
 mobile phase 274  
     helium 274  
     nitrogen 274  
 oven, column 282  
     detector 283  
     injector 283  
     parameters 282  
     gas flow 282  
     temperature 282  
     dew point 282  
     too high 282  
     too low 282  
 peak broadening 282  
 polarity switch 281  
 retention times 281  
 rubber septum 276  
 sample introduction 276  
 sample preparation 274  
 septum 276  
 zero control 280  
 Gas collection 70–74  
     ironies 72  
 Gas generation 72, 73  
 Glass joints, cleaning 53  
     disaster 51–54, 203  
     greasing 51–53, 149, 150, 203  
 Glassware, cleaning 88, 89  
 Gravity filtration 120  
 Gravity filtration 96  
     activated charcoal 127, 128  
     filter cone 121  
     funnel, short-stem 121, 122  
     stemless 121, 122  
 Greasing glass joints 51–53, 149, 150, 203  
 HETP 348  
 HPLC 286–296  
     back-pressure 295  
     bubble trap 288  
     column packing 292  
     reverse-phase 293  
     detector, refractive  
         index 293  
     ultra-violet 294  
     detectors 293, 294  
     high performance 286  
     high pressure 286  
     mobile phase 286  
     bubble trap 288  
     gradient elution 286  
     isochratic 286  
     pulse dampener 289  
     pump 289  
     parameters, back-  
         pressure 295  
     eluant composition 295  
     flow rate 295  
     temperature 295  
     precolumn filter 291  
     pulse dampener 289  
     pump 289  
     sample analysis, same as  
         for GC 295  
     sample introduction,  
         injector valve 292, 293  
     sample loop 291  
     sample preparation 290  
     Swinney adapter 290, 291  
 Handbook, Aldrich chemical  
     catalog 39, 40  
     Beilstein reference 28, 31, 40  
     boiling point 26, 30  
     CRC 12, 26–31  
     crystalline form 29, 32  
     density 26, 29, 40  
     Lange 31–35  
     melting point 26, 31  
     Merck Index 35–38  
     nostalgia 29–31  
     refractive index 28, 39  
     specific gravity 26, 31  
 Handbooks 12  
 Heat source, burner 169–171  
     heating mantle,  
         Thermowell 172  
     fiberglass 172  
     Variat 171  
     steam bath 168, 189, 225  
 Heating, Hickman still 219  
 Heating mantle 171, 172  
     burnout 173  
     holding 173  
 Hickman still 217, 218, 219  
 Hirsch funnel 59  
 Hood 4  
 Index of refraction 266  
 Infra-red 298–322  
     100% control 308, 311–314  
     calibration 314  
     Fourier transform, *see*  
         FTIR  
     instrument, 100 percent  
         control 308, 311–314  
     baseline adjust-  
         ment 312, 313  
     dual beam 308  
     fast scan 309, 310  
     manual scan 309, 310, 312  
     paper carriage 310  
     recording pen 308, 311  
     reference beam 308, 311  
     reference beam  
         attenuator 312  
     sample beam 308, 311  
 KBr methods 304–308  
     hydraulic press 307  
     index card holder 307, 308  
     mini-press 306  
     nujol mull 303  
     Perkin-Elmer 710B 310  
 reference beam attenua-  
     tor 312  
 salt plates 302  
 sample preparation 302  
     liquids, salt plates 302  
     solids 303–307  
     KBr 306  
     mull 303  
 spectrum 298–302, 314  
     boundaries 298  
     calibration 314  
     characteristic bands  
         of 298–301  
     correlation chart 301  
     data 315  
     fingerprint region 298  
     interpretation 298–301, 317  
     mistakes 317  
 Instrumentation 272  
 Ironies, gas collection 72

- Jointware 43–56  
 adapter, Claisen 47, 204, 226, 228  
 Dean-Stark trap 352, 353  
 drying tube 46, 51  
 inlet 49–51, 224, 225  
 lots of names 49–51  
 outlet 49–51  
 straight 49–51  
 thermometer 49–51  
 three (3)-way 47, 189  
 tube 49–51  
 vacuum 46, 192, 203  
 advantages 44  
 condenser 47–49, 192  
 as reflux 222  
 distilling column 47–49, 204–206  
 packing 48, 49, 204–206  
 Dean-Stark trap 352, 353  
 flask, round-bottom 46–48, 169–173, 190–193, 223–225  
 heating 47, 48 169–173, 189, 225  
 star cracks 47, 48, 170  
 three (3)-neck 46, 202–205, 226, 229  
 glass joints 44, 45, 51–53  
 cleaning 53  
 greasing 51–53, 149, 150, 203  
 microscale 61–74  
 O-ring cap seal 63–66  
 air condenser 63  
 conical vial 64–67  
 heating 69  
 drying tube 70  
 gas collection 70–74  
 gas generation 72, 73  
 joint sizes 64, 65  
 overview 62  
 recrystallization, *see* Recrystallization, microscale  
 vacuum distillation 65–67  
 non-standard taper 44, 45  
 separatory funnel, stem 148–151, 226  
 stopcock, glass 149, 150  
 Teflon 149, 150  
 stopper 148  
 standard taper 43–56  
 stopcock, glass 149, 150  
 Teflon 149, 150  
 stopper 46, 148  
 three (3)-neck flask 46, 202–205, 226, 229  
 Labeling products 97  
 Luer lock 84  
 Luer tip 84  
 Manometer 196, 197  
 hints 196  
 pressure measurement 196–198  
 Mel-Temp apparatus 103–106  
 Melting point 100–116  
 depression 100  
 determination of purity 100  
 drying samples 101  
 eutectic 100  
 Fisher-Johns apparatus 106–108  
 Handbook 26, 31  
 heating rate 105, 107, 110, 111, 115  
 hints 103  
 identification of unknowns 100  
 Mel-Temp apparatus 103–106  
 mixed 100  
 range 100  
 sample preparation 101  
 Thiele tube 112–116  
 Thomas-Hoover apparatus 108–112  
 tubes 101–103, 114, 246  
 closing off open end 102, 103  
 loading 101, 102  
 open both ends 102  
 packing 101, 102  
 Mercury warning, manometers 196  
 Microscale distillation, *see* Distillation, microscale  
 Microscale jointware 61–74  
 air condenser 63  
 bulky apparatus 63  
 conical vial 64–67  
 heating 69  
 drying agent 94  
 drying tube 70  
 gas collection 70–74  
 overview 62  
 recrystallization, *see* Recrystallization, microscale  
 skinny apparatus 64  
 vacuum distillation 65–67  
 wet-column 262, 263  
 Microscale recrystallization, *see* Recrystallization, microscale  
 Microscale reflux, *see* Reflux, microscale  
 Mixed melting point 100  
 NMR 324–333  
 anisotropy 330  
 chemical shift 321  
 deshielding 328  
 deuterated solvents 326  
 integration 332  
 internal standard, HMDS 324  
 TMS 324, 328  
 protonless solvents 326  
 sample preparation, internal standard 324  
 liquids 324  
 solids 326  
 deuterated solvent 326  
 protonless solvents 326  
 shielding 328  
 solvents, deuterated 326  
 protonless 326  
 Needles, *see* Syringes  
 Nomograph, pressure correction 198–201  
 temperature correction 198–201  
 Non-jointware apparatus 58, 59  
 Notebook 12  
 errors 12  
 notes 12  
 observations 12  
 synthesis experiment 13, 18–23  
 table of physical constants 18  
 technique experiment 12–15  
 Notebook data, recrystallization solvent 118  
 solubility 118

- O-ring cap seal 63–66
  - bulky apparatus 64
  - skinny apparatus 63
- Observations 12
- Oiling out 130
  - trituration as cure 131
- Organic waste 5
- Pasteur pipet, *see* Pipet
- Phase diagram, fractional
  - distillation 342
  - simple distillation 336
- Pipet, calibration 77
  - cotton plug 77, 78
  - cutting 79
  - drying agent 94
  - extraction,
    - microscale 162–164
  - filtering 77–80
  - Hickman still 219
  - pre-preparation 77, 78
  - sizes 76
  - vapor pressure problem 77
- Pipet tips 76–81
- Plate spotter 246
- Preparative TLC 256
- Pressure correction,
  - vacuum distillation 198–201
- Products, labeling 97
  - liquid 92, 93, 96
  - drying 92, 93, 96
  - solid 96
  - drying 96, 101
- Raoult's Law, deviation 341–342
- Recrystallization 118–141
  - Rubber dam 125
  - activated charcoal 127, 128
  - choosing a solvent 28, 29, 31, 119
  - colored compounds 127, 128
  - disaster 123
  - filter flask 123, 124
  - filtration disaster 127
  - fluted filter paper 132, 133
  - gravity filtration 120
  - microscale, Craig
    - tubes 137, 141
    - centrifuge tubes for 139, 140
  - crystal recovery 141
  - test tubes 136
  - mixed solvent 129–131
  - oiling out 130, 131
  - notebook data 118
  - oiling out 130
    - trituration as cure 131
  - pipet 80, 81
  - salting out 131, 132
  - seed crystals 131
  - solubility data 28, 29, 31, 118
  - solvents in handbook 28, 29, 31
  - trash in sample 120
  - trituration 131
  - water aspirator 124, 125, 128
  - water trap 126, 128, 129
- Reflux 222–229
  - dry, microscale 232, 233
  - dry atmosphere 223
  - heating, microscale 232
  - microscale 232, 233
    - addition 232, 233
    - dry 232, 233
    - heating 232
  - solvents for 222
- Reflux ratio 350
- Reflux with addition 225–229
  - microscale 232, 233
- Refractive index 266
  - handbook 28, 39
- Refractometer 266–268
  - hints 269
- Rubber septum 85, 86
- Safety 2–9
  - hood 4
  - waste disposal 5
- Salting out, extraction 158, 159
  - recrystallization 131, 132
  - steam distillation
    - products 213
- Sample vial 97
- Samples, labeling 97
- Seed crystals 131
- Separatory funnel 147–151, 225
- Significant figures 24
- Solubility data, empirical 119
  - in handbooks 28, 29, 31
- Solvent extraction 145, 146
- Solvents, for reflux 222
  - miscible 145, 146
- Sources of heat 168–175
- Specific gravity, hand-book 26, 31
- Steam bath 59, 168, 225
- Steam distillation, *see* Distillation, steam
- Steam line, bleeding 209
- Sublimation 236–237
  - cold-finger condenser 236
  - micro 237
  - vacuum 237
  - water aspirator 236
  - water trap 236
- Suction flask 59
- Synthesis experiment 13, 18–23
- Syringe, gas chromatography 276
  - HPLC 290, 291
  - Luer lock 290, 291
  - Swinney adapter 290, 291
- Syringes, air lock 85
  - disaster 84
  - Luer lock 84
  - Luer tip 84, 85
  - reflux, microscale 232, 233
  - rubber septum 85, 86
- Syringes (and Needles) 84–86
- Syringes and Needles, *see* Syringes
- Technique experiment 12–15
- Temperature correction,
  - vacuum distillation 198–201
- Test tube, sidearm 237
- Theoretical plates 348
- Theory of distillation 336–356
  - fractional distillation,
    - Clausius-Clapyron equation 343, 344
  - azeotropes 350
    - maximum-boiling 351
    - minimum-boiling 351
  - changing composition 349
  - Dalton's law 340–345
  - disaster 349
  - HETP 348
  - phase diagram 342

- Raoult's Law, deviations 353, 354
- reflux ratio 350
- throughput 350
- simple distillation 336–339
  - Clausius-Clapyron equation 337, 338
  - Heat of vaporization 338
  - liquid-vapor equilibrium 337
  - normal boiling point 336
  - phase diagram 336
- steam distillation 355–356
- yield calculation 355
- Theory of extraction, calculation 358–360
- distribution coefficient 358
- partition coefficient 358
- Thiele tube 112–116
  - cleaning it out 114
  - getting sample attached 114
  - hints 114, 115
  - thermometer problems 114, 115
- Thomas-Hoover apparatus 108–112
- Three-fingered clamp 178, 179
- Three-neck flask 46, 202, 203, 205, 226, 229,
- Throughput 350
- Vacuum, water aspirator 124, 125, 128
- Vacuum distillation 65–67
- Vacuum filtration, water trap 126, 128, 129
- Vacuum sublimation 236–237
- Variable voltage source, Variac 171–174
  - autotransformer 174, 175
  - light dimmers 174, 175
  - proportional heaters 173–176
  - stepless controllers 174, 175
  - disaster 174, 175
- Vial, cap liner disaste 97
- Vials, labeling 97
- Washing, *see* Extraction 144–159
- Washing glassware 88, 89
- Waste 5
- Waste disposal 5
- Water aspirator, leaking 128
  - poor vacuum 128
  - vacuum source 128
  - water trap 124–126, 128, 129
- Water aspirator, sublimation 236
- Water of crystallization 92
- Water trap 124–126, 128, 129
  - sublimation 236